AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings of claims in the application:

1. (Currently Amended) A symmetrical polythiophene

$$\begin{array}{c|c}
\hline{\left\{\left(\left(\begin{array}{c}S\\A\end{array}\right)_{a},\left(\left(\begin{array}{c}S\\A\end{array}\right)_{b},\left(\begin{array}{c}S\\A\end{array}\right)_{c}\right\}_{m}, D\right\}_{d}} \\
\hline{(m)}$$

wherein A is a side chain; B is hydrogen or a side chain; D is a divalent linkage; a and c represent the number of A-substituted thienylenes; b is the number of B-substituted thienylene segments; d is 0 or 1; and n represents the degree of polymerization, and wherein A is alkyl, and said B side chain is alkyl.

2. (Canceled)

3. (Original) A polythiophene represented by

(5)

$$C_{10}H_{21}$$

$$C_{10}H_{21}$$

$$C_{10}H_{21}$$

$$C_{10}H_{21}$$

$$C_{10}H_{21}$$

$$C_{10}H_{21}$$

$$C_{10}H_{21}$$

$$C_{12}H_{25}$$
 $C_{12}H_{25}$
 $C_{12}H_{25}$
 $C_{12}H_{25}$
 $C_{12}H_{25}$
 $C_{12}H_{25}$
 $C_{12}H_{25}$
 $C_{12}H_{25}$

$$C_{12}H_{25}$$

$$C_{12}H_{25}$$

(9) $C_{12}H_{25}$ $C_{6}H_{13}$ $C_{6}H_{13}$ $C_{6}H_{13}$ $C_{12}H_{25}$ (10)

From-XEROX

$$\begin{array}{c} C_{12}H_{25} \\ C_{12}H_{25} \\$$

$$\begin{array}{c|c} C_{12}H_{25} & C_{12}H_{25} \\ \hline \\ C_{12}H_{25} & C_{12}H_{25} \\ \hline \end{array}$$

(16)

or

$$\begin{array}{c|c} C_{12}H_{25} & C_{12}H_{25} \\ \hline \\ C_{12}H_{25} & C_{12}H_{25} \\ \hline \end{array}$$

(17)

and wherein n represents the number of segments.

4. (Original) A polythiophene in accordance with claim 1 wherein said polythiophene is represented by the following formulas

$$\begin{array}{c|c} C_{12}H_{25} \\ S \\ S \\ H_{25}C_{12} \\ \end{array}$$
(3)

$$C_{10}H_{21} \qquad C_{10}H_{21} \qquad C_{1$$

5. (Canceled)

6. (Original) A polythiophene in accordance with claim 1 wherein A is alkyl containing from about 1 to about 25 carbon atoms, and B is alkyl containing from 0 to about 4 carbon atoms.

- 7. (Original) A polythiophene in accordance with claim 6 wherein A contains from about 5 to about 25 carbon atoms, and B contains from 0 to about 4 carbon atoms.
- 8. (Original) A polythlophene in accordance with claim 1 wherein a is from about 1 to about 7.
- 9. (Original) A polythiophene in accordance with claim 1 wherein b is from about 1 to about 7.
- 10. (Original) A polythiophene in accordance with claim 1 wherein d is zero.
- 11. (Original) A polythiophene in accordance with claim 1 wherein d is 1.
- 12. (Original) A polythiophene in accordance with claim 1 wherein n is from about 5 to about 5,000.
- 13. (Original) A polythiophene in accordance with claim 1 wherein n is from about 5 to about 3,000.
- 14. (Original) A polythlophene in accordance with claim 1 wherein n is from about 10 to about 1,000.

- to about 25 carbon atoms; B is hydrogen or alkyl containing from about 6 to about 25 carbon atoms; B is hydrogen or alkyl containing from 1 to about 3 carbon atoms; D is arylene or dioxyarene, each containing from about 6 to about 40 carbon atoms, or alkylene or dioxyalkane, each containing from about 1 to about 20 carbon atoms.
- 16. (Original) A polythiophene in accordance with claim 1 wherein A is alkyl containing from about 8 to about 12 carbon atoms, and B is a hydrogen atom.
- 17. (Original) A polythiophene in accordance with claim 1 wherein A is alkyl containing from 5 to about 15 carbon atoms; B is a hydrogen atom; D is arylene; a, b, c, and m are independently selected from the numbers 1, 2, and 3; and d = 1.
- 18. (Original) A polythiophene in accordance with claim 1 wherein A is alkyl containing from about 8 to about 12 carbon atoms; B is a hydrogen atom; D is arylene; a = c = m = 1; b = 2; and d = 1.
- 19. (Original) A polythiophene in accordance with claim 1 wherein n is from about 5 to about 5,000.
- 20. (Original) A polythiophene in accordance with claim 1 wherein the number average molecular weight (M_n) of (III) is from about 10,000 to about 30,000, and the weight average molecular weight (M_w) is from about 15,000 to about 100,000.

- 21. (Original) A polythlophene in accordance with claim 1 wherein the number average molecular weight (M_n) of (III) is from about 2,000 to about 100,000, and wherein the weight average molecular weight (M_w) is from about 4,000 to about 500,000, each as measured by gel permeation chromatography using polystyrene standards.
- 22. (Original) A polythiophene in accordance with claim 1 wherein A is hexyl heptyl, octyl, nonyl, decyl, undecyl, dodecyl, tridecyl, tetradecyl, or pentyldecyl.
- 23. (Original) A polythiophene in accordance with claim 1 wherein D is an arylene selected from the group consisting of phenylene, tolylene, xylylene, biphenylene, substituted biphenylene, fluorenylene, phenanthrenylene, dihydrophenanthrenylene, dibenzofuranediyl, dibenzothiophenediyl, and carbazole-diyl.
- 24. (Original) A polythiophene in accordance with claim 1 wherein D is saturated linkage selected from the group consisting of alkylene, dioxyalkane, dioxyarene, and oligoethylene oxide.

25. (Original) A polythiophene in accordance with claim 1 wherein said polythiophene is represented by or encompassed by the following formulas, and wherein n represents the number of repeating segments, and is a number of from about 5 to about 4,000

(4)

(5)

From-XEROX

$$\begin{array}{c} C_{10}H_{21} \\ C_{11}H_{22} \\ C_{12}H_{23} \\ C_{12}H_{23} \\ C_{12}H_{24} \\ C_{11}H_{25} \\ C_{12}H_{25} \\ C_{12}H_{25} \\ C_{11}H_{25} \\ C_{12}H_{25} \\$$

(10)

From-XEROX

(Original) A polythiophene in accordance with claim 1 26. wherein said polythiophene is

$$C_{10}H_{21} \qquad C_{10}H_{21} \qquad C_{1$$

- (Canceled) 27.
- (Canceled) 28.